

AFD--000110 - Argilla Galestro

Revision nr.5 Dated 03/06/2015 Printed on 07/09/2016 Page n. 1 / 8

Information Sheet

ECTION 1. Identification	f the substance/mixture and o	f the compan	y/undertaking
---------------------------------	-------------------------------	--------------	---------------

1.1. Product identifier

Code: AFD--000110
Product name Argilla Galestro
ARGILLA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use ceramics shaping.

1.3. Details of the supplier of the safety data sheet

Name COLOROBBIA S.P.A. Full address Via A. Gramsci 14

District and Country 50056 Montelupo Fiorentino (FI)

Italia

Tel. +39 0571 70 81 Fax +39 0571 708.800

e-mail address of the competent person

responsible for the Safety Data Sheet ambientemsds@colorobbia.it

1.4. Emergency telephone number

For urgent inquiries refer to +39 0571 709.565

SECTION 2. Hazards identification.

2.1. Classification of the substance or mixture.

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements).

Hazard classification and indication: --

2.2. Label elements.

Hazard pictograms: --

Signal words: --

Hazard statements: --

Precautionary statements: --

2.3. Other hazards.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients.

3.1. Substances.

Information not relevant.



AFD--000110 - Argilla Galestro

Revision nr.5 Dated 03/06/2015 Printed on 07/09/2016 Page n. 2 / 8

SECTION 3. Composition/information on ingredients. .../>>

3.2. Mixtures.

Contains:

Identification. Conc. %. Classification 1272/2008 (CLP).

QUARTZ

CAS. 14808-60-7 40 - 60

EC. 238-878-4

INDEX.

ALUMINIUM OXYDE

52,9% - metallic element

CAS. 1344-28-1 9 - 25

EC. 215-691-6

INDEX.

Reg. no. 01-211952948-35-

HEMATITE

CAS. 1317-60-8 5 - 9

EC. 215-275-4

INDEX.

Reg. no. 01-2119557839-18-XXXX

magnesium oxide

CAS. 1309-48-4 1 - 5

EC. 215-171-9

INDEX.

Note: Upper limit is not included into the range.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures.

4.1. Description of first aid measures.

Not specifically necessary. Observance of good industrial hygiene is recommended.

4.2. Most important symptoms and effects, both acute and delayed.

No episodes of damage to health ascribable to the product have been reported.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT

Choose the most appropriate extinguishing equipment for the specific case.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

The product is neither flammable nor combustible.

5.3. Advice for firefighters.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.



AFD--000110 - Argilla Galestro

Revision nr.5 Dated 03/06/2015 Printed on 07/09/2016 Page n. 3 / 8

SECTION 6. Accidental release measures.

6.3. Methods and material for containment and cleaning up.

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

7.2. Conditions for safe storage, including any incompatibilities.

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Regulatory References:

	•
	• •
•	osition aux postes de travail 2012. / Grenzwerte am Arbeitsplatz
epublika Nařízení vlády č. 361.	2007 Sb. kterým se stanoví podmínky ochrany zdraví při práci
and MAK-und BAT-Werte	Liste 2012
INSHT - Límites de ex	cposición profesional para agentes químicos en España 2015
JORF n°0109 du 10 r	nai 2012 page 8773 texte n° 102
ngdom EH40/2005 Workplac	e exposure limits
ΕΦΗΜΕΡΙΣ ΤΗΣ ΚΥΕ	ΒΕΡΝΗΣΕΩΣ -ΤΕΥΧΟΣ ΠΡΩΤΟ Αρ. Φύλλου 19 - 9 Φεβρουαρίου 2012
Code of Practice Che	mical Agent Regulations 2011
ROZPORZĄDZENIE	MINISTRA PRACY I POLITYKI SPOŁECZNEJ z dnia 16 grudnia 2011r
IH ACGIH 2014	·
	Schweiz Valeurs limites d'expo epublika Nařízení vlády č. 361/ and MAK-und BAT-Werte- INSHT - Límites de ex JORF n°0109 du 10 m ngdom EH40/2005 Workplace EΦΗΜΕΡΙΣ ΤΗΣ ΚΥΒ Code of Practice Chei ROZPORZĄDZENIE I

				QU	IARTZ			
Threshold Limit \	/alue.							
Type	Country	TWA/8h		STEL/15r	nin			
		mg/m3	ppm	mg/m3	ppm			
NDS	POL	0,3						
TLV-ACGIH		0,05						



AFD--000110 - Argilla Galestro

SECTION 8. Exposure controls/personal protection. .../>>

Revision nr.5 Dated 03/06/2015 Printed on 07/09/2016 Page n. 4 / 8

				ALIIM	IINIUM OXY	DE			
Threshold Limi	t Value			ALUM	IIIIII OXI	DL			
Type	Count	ry TWA	/8h	STEL/	15min				
1 9 00	Ooun	mg/n							
MAK	AUS	5	ю ррт	10	у ррпп		RESP.		
VLEP	BEL	1					TILOT .		
VEL.	CHE	3					RESP.		
MAK	CHE	3					RESP.		
TLV	CZE	0,1					0		
MAK	DEU	1,5							
MAK	DEU	0,3					RESP.		
MAK	DEU	4					INHAL.		
VLA	ESP	10							
VLEP	FRA	10							
WEL	GRB	4							
TLV	GRC		10						
OEL	IRL	4							
NDS	POL	1,2					RESP.		
NDS	POL	2,5					INHAL.		
TLV-ACGIH		1	0,9						
Health - Derive	d no-effec	t level - DN	EL / DMEL	·					
		Effects on o	onsumers.			Effects on w	orkers		
Route of exp		Acute local	Acute systemic	Chronic local	Chronic systemi		Acute systemic	Chroni	Chronic systemic
								c local	
Oral.		6,2 mg/Kg/d	VND						
Inhalation.		15,6 mg/mc	VND						

				HE	MATITE	
Threshold Limit \	/alue.					
Type	Country	TWA/8h		STEL/15	imin	
		mg/m3	ppm	mg/m3	ppm	
TLV-ACGIH		5				

				magnes	sium oxide
Threshold Limit \	Value.				
Type	Country	TWA/8h		STEL/15r	min
		mg/m3	ppm	mg/m3	ppm
NDS	POL	10			
TLV-ACGIH		10			

Legend

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available; NEA = no exposure expected; NPI = no hazard identified.

During the risk assessment process, it is essential to take into consideration the ACGIH occupational exposure levels for inert particulate not otherwise classified (PNOC respirable fraction: 3 mg/m3; PNOC inhalable fraction: 10 mg/m3). For values above these limits, use a P type filter, whose class (1, 2 or 3) must be chosen according to the outcome of risk assessment.

8.2. Exposure controls.

Comply with the safety measures usually applied when handling chemical substances.

HAND PROTECTION

None required.

SKIN PROTECTION

None required.

EYE PROTECTION

None required.

RESPIRATORY PROTECTION

Use a type P filtering facemask (see standard EN 149) or equivalent device, whose class (1, 2 or 3) and effective need, must be defined according to the outcome of risk assessment.



AFD--000110 - Argilla Galestro

Revision nr.5 Dated 03/06/2015 Printed on 07/09/2016 Page n. 5 / 8 ΕN

SECTION 8. Exposure controls/personal protection.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Appearance Not available. Colour Odour odourless Odour threshold. Not available. Not available. pH. Melting point / freezing point. Not available. Initial boiling point. Not available Boiling range. Not available. Flash point. Not applicable. **Evaporation Rate** Not available. Flammability of solids and gases Not available. Not available Lower inflammability limit. Upper inflammability limit. Not available. Not available. Lower explosive limit. Upper explosive limit. Not available. Vapour pressure. Not available. Vapour density Not available Relative density. Not available. insoluble Solubility Partition coefficient: n-octanol/water Not available. Auto-ignition temperature. Not available. Not available Decomposition temperature. Not available. Viscosity Not available. Explosive properties Oxidising properties Not available.

9.2. Other information.

VOC (Directive 2010/75/EC): 0
VOC (volatile carbon): 0

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

Information not available.

SECTION 11. Toxicological information.

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled carefully according to good industrial practices. This product may have slight health effects on sensitive people, by inhalation and/or cutaneous absorption and/or contact with eyes and/or ingestion.

Information relating to free silicon monoxide:

- once inhaled into the lungs, free crystalline silica dust can cause silicosis. More frequently, there is a development of phenomena mainly characterised by an obstructive component.



AFD--000110 - Argilla Galestro

Revision nr.5 Dated 03/06/2015 Printed on 07/09/2016 Page n. 6 / 8

SECTION 11. Toxicological information. .../>>

11.1. Information on toxicological effects.

Information not available.

SECTION 12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity.

Information not available.

12.2. Persistence and degradability.

ALUMINIUM OXYDE

Biodegradability: Information not available.

12.3. Bioaccumulative potential.

Information not available.

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects.

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Solid residues may be suitable for disposal in an authorised landfill site.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

14.1. UN number.

Not applicable.

14.2. UN proper shipping name.

Not applicable.

14.3. Transport hazard class(es).

Not applicable.

14.4. Packing group.

Not applicable.

14.5. Environmental hazards.

Not applicable.

14.6. Special precautions for user.

Not applicable.



AFD--000110 - Argilla Galestro

Revision nr.5 Dated 03/06/2015 Printed on 07/09/2016 Page n. 7 / 8

SECTION 14. Transport information. .../>>

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code.

Information not relevant.

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso category.

None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

None.

Substances in Candidate List (Art. 59 REACH).

None.

Substances subject to authorisarion (Annex XIV REACH).

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None.

Healthcare controls.

Information not available.

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds

ΕN



AFD--000110 - Argilla Galestro

Revision nr.5 Dated 03/06/2015 Printed on 07/09/2016 Page n. 8 / 8

SECTION 16. Other information. />

- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified:

01 / 04 / 06 / 08.